

SaniDate[®] FD Canada

Form #:	SDS-134
Revision Date:	11/01/2021
Revision #:	02
Supersedes Date:	11/10/2019

Section 1: Identification				
Product Name:	SaniDate® FD Canada Product Type / Microbiocide		Microbiocide	
Recommended	Microbiocide for industrial use.	Other Means of	Peracetic Acid Solution, Peroxyacetic Acid	
Use:		Identification:	Solution, PAA	
Use Restrictions:	It is a violation of federal law to use this product in a			
Use Restrictions.	manner inconsistent with its labeling.		CH₃CO₃H	
D.Co. w. foot	BioSafe Systems, LLC	Chemical Formula:		
Manufacturer:	22 Meadow Street East Hartford, CT 06108			
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)		

Section 2: Hazard Identification				
GHS Classification	Н	azard Statements		
Organic Peroxide: Type F	H242: Heating may cause fire.			
Corrosive to Metals: Category 1	H290: May be corrosive to meta	als.		
Acute Toxicity	H302: Harmful if swallowed.	H302: Harmful if swallowed.		
Oral: Category 4	H312: Harmful in contact with s	H312: Harmful in contact with skin.		
Dermal: Category 4	H314: Causes severe skin burns and eye damage.			
Inhalation: Category 4	H318: Causes serious eye damage	H318: Causes serious eye damage.		
Skin Corrosion/Irritation: Category 1A	H332: Harmful if inhaled.			
Serious Eye Damage/Eye Irritation: Category 1	H335: May cause respiratory irritation.			
Specific Target Organ Toxicity (Single Exposure): Category 3				
Pictograms	Signal Word			

\sim	

DANGER

Precautionary Statements				
General	Response			
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do not induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Move person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P321: For specific treatments see FIRST AID section on SDS or label. P363: Wash contaminated clothing before reuse. P370+P378: In case of fire: Use water or other suitable extinguishing media. P390: Absorb spillage to prevent material damage.			
Prevention	Storage / Disposal			
P210: Keep away from heat, sparks or open flames, no smoking.	P403+P235: Store in a well-ventilated place. Keep cool.			
P220: Keep away from combustible materials.	P404: Store in a closed container.			
P221: Take any precautions to avoid mixing with combustibles.	P405: Store locked up.			
P234: Keep only in original container.	P406: Store in corrosive resistant container, never use metal containers.			
P260: Do not breathe fumes, mist or vapors.	P410: Protect from sunlight.			
P262: Do not get in eyes, on skin or on clothing.	P411: Store at temperatures not exceeding 55°C (131°F).			
P264: Wash thoroughly after handling.	P420: Store away from incompatible materials.			
P270: Do not eat, drink, or smoke when using this product.				
P271: Use only outdoors or in a well-ventilated area.	P501: Dispose of contents/container in accordance with			
P273: Avoid release to the environment.	local/regional/national/international regulations.			
P280: Wear protective gloves, clothing, eye protection, face protection.				



SaniDate[®] FD Canada

Form #:	SDS-134
Revision Date:	11/01/2021
Revision #:	02
Supersedes Date:	11/10/2019

Section 3: Composition / Information on Ingredients					
Components CAS-No % Composition (w/w)					
Hydrogen Peroxide	7722-84-1	4,0-6,0%			
Peroxyacetic Acid	79-21-0	14,0 - 17,0%			
Acetic Acid	64-19-7	45,0 - 55,0%			

	Section 4: First-Aid Measures		
Eye	In case of eye contact, remove contact lenses and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.		
Contact:	See a medical doctor immediately.		
Skin	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek immediate medical		
Contact:	attention/advice.		
Ingestion:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately. If swallowed, do not		
	induce vomiting - seek medical advice.		
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a		
	physician if necessary.		
Notes to	This product can be corrosive to skin, eyes, and mucous membranes. Careful gastric lavage should be considered. Observations may be		
Physician:	warranted. Treatment is controlled removal of exposure followed by supportive care.		

Section 5: Fire-Fighting Measures		
Suitable Extinguishing Media: Water spray.		Water spray.
Unsuitable Exting	Unsuitable Extinguishing Media: Carbon dioxide, alcohol foam, dry chemical. Heavy water stream can spread fire.	
Combu	Combustion Products: Corrosive vapors, acetic acid, carbon oxides.	
Unusual Fire	Unusual Fire and Explosion Product is not flammable but during a fire, product can decompose and generate oxygen which can initiate or	
Hazards: promote combustion.		promote combustion.
Protective	Full chemical protection suits and boots (rubber or PVC) and self-contained breathing apparatus. Cordon the area to keep out all	
Equipment for	Equipment for unnecessary personnel. Keep upwind. Use large quantities of water spray to fight fire. Cool containers / tanks with water spray. If	
Firefighters:	ighters: safe to do, move product away from fire to secure area. Eliminate all possible sources of ignition and remove flammable material.	

Section 6: Accidental Release Measures			
Personal Precau	Precautions: Ensure adequate ventilation. Avoid inhalation, ingestion and contact with skin and eyes.		
Emergency Procedures: Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. R		Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. Remove	
		all sources of ignition. Keep people away from and upwind of spill/leak. If facing concentrations above exposure limits	
personnel shall wear certified respirators.		personnel shall wear certified respirators.	
Environmental Precautions: Prevent undiluted spillage from entering sewers, basements or watercourses.		Prevent undiluted spillage from entering sewers, basements or watercourses.	
Methods and	Dike to collect large liquid spills. Contain spills with earth or sand or inert absorbent. Stop leak and contain spill if this can be		
Material for	done safely. Dilute with large quantities of water. If safe to do so, move product to secure area. Control runoff and isolate		
Containment and	discharged material for proper disposal. Do not seal waste material, do not use textiles, tissues, saw dust or combustible		
Clean-Up:	mater	ials to clean the spill. Do not return product to the original storage container/tank due to risk of decomposition.	

Section 7: Handling and Storage			
Handling:	Wear protective gloves/eye protection/face protection/body, skin protection. Do not eat, drink, or smoke when using this product. Wash		
	thoroughly after handling. Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area.		
Storage:	e: Store in cool, ventilated area. Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not		
exceeding 30°C (86°F) for product quality. Do not store near combustible materials.			
Incompatible	e Materials:	Oxidizing agents, strong reducing agents, combustible materials, heavy metals.	

	Section 8: Exposure Controls / Personal Protection						
	Components with	Workplace Control Parameters					
Component	Component ACGIH NIOSH OSHA						
Acetic Acid	TWA: 10 ppm	TWA: 25 mg/m ³ - 8 hrs.	TWA: 25 mg/m ³ - 8 hrs.				
	STEL: 15 ppm	TWA: 10 ppm - 8 hrs.	TWA: 10 ppm - 8 hrs.				
		IDLH: 50 ppm					
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1,4 mg/m ³ - 8 hrs.	TWA: 1,4 mg/m ³ - 8 hrs.				
		TWA: 1 ppm - 8 hrs.	TWA: 1 ppm - 8 hrs.				
		IDLH: 75 ppm					
Peracetic Acid	STEL: 0,4 ppm						
Engineering Controls:	Ensure adequate ventilation. Emergency eye wash stations / emergency showers should be available in the						
	immediate vicinity of any potential exposure.						



SaniDate[®] FD Canada

DS-134
1/01/2021
2
1/10/2019

General Hygienic Practices:	General Hygienic Practices: Do not eat, drink or smoke during use. Wash hands immediately after handling the product.							
	Personal Protective Equipment							
Respiratory Protection:	Use an approved air-purifying or supplied air respirator where airborne concentrations of vapor or mist are							
	expected to exceed exposure limits. Recommended respirators are those with an organic vapor / acid gas cartridge.							
Eye / Face Protection:	Chemical resistant goggles or face shield if splashes are expected to occur.							
Hand Protection:	Rubber/latex/neoprene or other suitable chemical resistant gloves. Do not use leather or cotton gloves.							
Skin / Body Protection:	Wear non-combustible clothing and footwear (PVC, neoprene, nitrile or natural rubber).							

Section 9: Physical and Chemical Properties								
Physical State:	Liquid.	Colour	Colour: Clear. Odour: Pungent, vinegar lik					
Melting Point / Freezing Point:	-30°C (-22°F)	Boiling Point	NA	Flammabilit	y: NA			
Flammability Limits:	NA	Flash Point: 93,4°	C(200,1°F)	Auto-Ignition Temperatur	e: NA			
Decomposition Temperature:	> 55°C (131°F)	pH	<1,5	Kinematic Viscosit	y: NA			
Solubility:	Complete. P	artition Coefficient n-octanol / water	NA	Vapor Pressur	e: 22 mm Hg (25°C)			
Relative Density:	NA	Vapor Density	NA	Particle Characteristic	s: NA			

Section 10: Stability and Reactivity				
Reactivity:	Reactive and oxidizing agent, organic peroxide.			
Stability: Stable under recommended storage conditions.				
Conditions to Avoid: Open flames/heat sources, temperatures above 55°C (131°F), direct sunlight, combustible materials.				
Incompatible Materials:	Acids, bases, reducing agents, organic materials, soft metals, salts of metals.			
Hazardous Decomposition Products:	Thermal decomposition generates corrosive vapors, acetic acid and oxygen which supports combustion.			

Section 11: Toxicological Information							
	Acute Toxicological Data						
Oral LD50 Rat:	1115 - 2958 mg/kg	Dermal LD50 Rat:	1147 - 1957	mg/kg	Inhalation LC50 Rat:	4 hr – 1.0 – 1.2 mg/L	
	Symptoms and Effects						
Condition		Acute Effects		Chronic (Delayed) Effects			
Eye Contact:	Causes serious eye d	amage.		None.			
Skin Contact:	Causes severe skin b	urns.		None.			
Inhalation:	May cause respirato	ry tract irritation.	None.				
Ingestion:	Probable mucosal da	image.		None.			

Section 12: Ecological Information						
Ecotoxicity:	city: Duration 48 hr LC50		Species	Value		
Ecoloxicity.			Lepomis macrochirus (bluegill sunfish)	1.21 ppm		
Persistence and Degradability: Peracetic acid is completely miscible with water. Product is biodegradable due to chemical properties.						
Bioaccumulative Potential: Does not bioaccumulate.						
I	Mobility in Soil: Non-significant adsorption soil degradation, >99% in 20 minutes.					
Results	Results of PBT & vPvB: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).					
Other A	Other Adverse Effects: None known.					

Section 13: Disposal Considerations					
Waste from Residues and Unused Product: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and					
	international regulations.				
Contaminated Container Disposal:	Do not reuse or refill containers. Triple rinse empty containers with clean water. Clean and empty				
containers should be taken to an approved waste handling site for recycling or disposal.					

	Section 14: Transport Information								
UN Nu	umber		UN Proper Shipping Name	Hazard Class (Subsidiary)	Packing Group	ΙΑΤΑ	Marine Pollutant		
TDG	3109	Organic perox	ide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2	Ш	Not permitted			
IMDG	3109	Organic pero	ide type F, liquid (Peroxyacetic Acid, Type F, Stabilized, <43%)	5.2	II	for shipment by air.	No		
Special Precautions: Shipping container: UN certified vented polyethylene									



SaniDate® FD Canada

Form #:	SDS-134
Revision Date:	11/01/2021
Revision #:	02
Supersedes Date:	11/10/2019

Section 15: Regulatory Information								
DSL Inve	entory List	Controlled Products Regulation (CPR)						
Aceti	c Acid Yes	This product has been classified according to the hazard criteria of the CPR and the SDS						
Hydrogen Per	oxide Yes	contains all the information required by the CPR						
Peraceti	c Acid Yes							
		Environmental Emergencies						
Component	Canada - Environmo Emergencies - Par Substances - Substances Likely Explode - Minimu Threshold Quantit	1 Emergencies - Part 1 Emergencies - Part 2 Emergencies - Part 2 Substances - Substances - Substances - to Substances Likely to Substances Hazardous m Explode - Minimum When Inhaled - Minimum	rt 2 lous imum					
Acetic Acid	NA	NA 6.8 tonnes min qty 95						
Hydrogen Peroxide	NA	NA 4.5 tonnes min qty 10						
Peracetic Acid	3.4 tonnes min q	y 52 NA NA						
	Canadian National Pollutant Release Inventory							
Acetic Acid	Part 4 Substance							
Hydrogen Peroxide	NA							
Peracetic Acid	Part 1, Group A Substa	nce						

Section 16: Other Information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit <u>www.biosafesystems.com</u> ©2021 BioSafe Systems, LLC.

Bi⇔Safe Systems

NFPA 704 Rating	Health:	3	Flammability:	1	Reactivity:	2	Special:	OX (Oxidizer)
HMIS Rating	Health:	3	Flammability:	1	Physical:	2	PPE:	(C)